

# Certificate of Compliance

**Certificate Number:**

R41131

**Report Reference:**

R41131-20231013

**Issue Date:**

2024-05-22

Issued to:

**ILOQ OY**  
**Elektroniikkatie 10**  
**Oulu FI-90590 Finland**

This certificate confirms that representative samples of:

**ACCESSORIES FOR SINGLE-POINT LOCKS AND LATCHES  
AND FIRE-EXIT HARDWARE**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 10C, Positive Pressure Fire Tests of Door Assemblies**  
**UL 10B, Fire Tests of Door Assemblies**  
**CAN/ULC-S104-15-R2020 STANDARD METHOD FOR FIRE  
TESTS OF DOOR ASSEMBLIES**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** R41131  
**Report reference** R41131-20231013  
**Date** 2024-05-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Accessories for Single-point Locks and Latches, Series X50S Mortise lock electro-mechanical cylinders, for use with UL certified Mortise type locks designed to accept a removable key cylinder in swinging type fire doors rated up to and including 3 hours.

Accessories for Single-point Locks and Latches, Series Y50S deadbolt electro-mechanical cylinders, for use with UL certified deadbolt designed to accept a removable key cylinder in swinging type fire doors rated up to and including 3 hours.

Accessories for Single-point Locks and Latches, Series Z50S electro-mechanical cylinders pre-fitted into Leverset listed under R9948 designed to accept a removable key cylinder in swinging type fire doors rated up to and including 3 hours.



David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# CERTIFICATE OF COMPLIANCE

**Certificate Number** R9948  
**Report Reference** R9948-19870519  
**Date** 2023-August-21

**Issued to:** MARKS USA 1 L L C  
365 BAYVIEW AVE  
AMITYVILLE NY, 11701-2801 US

**This is to certify that representative samples of** SINGLE-POINT LOCKS AND LATCHES  
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 10C, Positive Pressure Fire Tests of Door Assemblies  
CAN/ULC-S104-15-R2020, Standard Method for Fire Tests of Door Assemblies

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

  
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

# CERTIFICATE OF COMPLIANCE

**Certificate Number** R9948  
**Report Reference** R9948-19870519  
**Date** 2023-August-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

10, 65, 75, 80, 95, 180SS, 145, 180PD Series, 195BH, and Z50S cylindrical locks with 1/2 in. latch bolt. These locks may be prefixed or suffixed with various letters or number to indicate different handle shapes, finishes or functions of the lockset.



*Deborah Jennings-Conner*  
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>